

Visit us online: www.pumpsupplies.co.uk

Flygt 3127

Electric Submersible Pump

- Cast Iron submersible pump, available with a N (adaptive or standard), channel, vortex, chopper, or grinder impeller
- Available in guide rail, free standing, or dry well configurations
- Highly efficient pump performance

T: 01452 726999 F: 01452 721746

E: sales@pumpsupplies.co.uk

www.pumpsupplies.co.uk





N 3127 LT & MT Adaptive (Self Cleaning Impeller):


Product:	N 3127 LT	N 3127 MT
Impeller Type:	Self Cleaning	Self Cleaning
Installation Types:	P, S, T, Z	P, S, T, Z
kW:	4-7.5kW	4-5.9kW
Discharge:	150mm	150mm
Weight (Approx.):	154kg	152kg
Voltage/Phase:	400/3	400/3
Rated Current (A)	8.0-16.0	8.0-13.0
Height (Approx.):	675mm	660mm
Width (Approx.):	766mm	721mm






Stainless Steel





Shaft:



APPLICATIONS

Stainless Steel

Wastewater Pumping | Cooling Water | Process Water | Sludge Handling Industrial Effluent | Storm Water | Raw Water | Pumping Stations




N 3127 HT & SH Adaptive (Self Cleaning Impeller):


Product:	N 3127 HT	N 3127 SH
Impeller Type:	Self Cleaning	Self Cleaning
Installation Types:	P, S, T, Z	P, S, T, Z
kW:	4-5.9kW	7.5kW
Discharge:	100mm	80mm
Weight (Approx.):	147kg	147kg
Voltage/Phase:	400/3	400/3
Rated Current (A)	8.0-13.0	14-15
Height (Approx.):	635mm	615mm
Width (Approx.):	720mm	721mm

FLYGT

Part	Material	Material
Major Castings:	Cast Iron	Cast Iron
Impeller:	Cast Iron	Cast Iron
Pump Housing:	Cast Iron	Cast Iron
Volute:	Cast Iron	Cast Iron
Shaft:	Stainless Steel	Stainless Steel







APPLICATIONS

Wastewater Pumping | Cooling Water | Process Water | Sludge Handling Industrial Effluent | Storm Water | Raw Water | Pumping Stations




C 3127 (Channel Impeller):



Product:	C 3127 LT	C 3127 MT	C 3127 HT
Impeller Type:	Channel	Channel	Channel
Installation Types:	P, S, T, Z	P, S, T, Z	P, S, T, Z
kW:	4-5.9kW	4-5.9kW	4-7.4kW
Discharge:	150mm	150mm	100mm
Weight (Approx.):	159kg	147kg	147kg
Voltage/Phase:	400/3	400/3	400/3
Rated Current (A)	9.4-12.0	8.3-12.0	9.4-14.0
Height (Approx.):	675mm	660mm	625mm
Width (Approx.):	766mm	721mm	720mm

Part	Material	Material	Material
Major Castings:	Cast Iron	Cast Iron	Cast Iron
Impeller:	Cast Iron	Cast Iron	Cast Iron
Pump Housing:	Cast Iron	Cast Iron	Cast Iron
Volute:	Cast Iron	Cast Iron	Cast Iron
Shaft:	Stainless Steel	Stainless Steel	Stainless Steel



APPLICATIONS

Wastewater Pumping | Cooling Water | Process Water | Sludge Handling Industrial Effluent | Storm Water | Raw Water | Pumping Stations





F 3127 (Chopper Impeller):




Product:	F 3127 LT	F 3127 MT	F 3127 HT
Impeller Type:	Chopper	Chopper	Chopper
Installation Types:	P, X, S	P, X, S	P, X, S
kW:	4.7-5.9kW	4-5.9kW	4-5.9kW
Discharge:	150mm	150mm	100mm
Weight (Approx.):	162kg	152kg	147kg
Voltage/Phase:	400/3	400/3	400/3
Rated Current (A)	10.0-12.0	8.3-13.0	8.3-13.0
Height (Approx.):	695mm	660mm	635mm
Width (Approx.):	761mm	721mm	720mm

Part	Material	Material	Material
Major Castings:	Cast Iron	Cast Iron	Cast Iron
Impeller:	Cast Iron	Cast Iron	Cast Iron
Pump Housing:	Cast Iron	Cast Iron	Cast Iron
Volute:	Cast Iron	Cast Iron	Cast Iron
Shaft:	Stainless Steel	Stainless Steel	Stainless Steel







APPLICATIONS

Wastewater Pumping | Cooling Water | Process Water | Sludge Handling Industrial Effluent | Storm Water | Raw Water | Pumping Stations




M 3127 (Grinder Impeller):




Product:	M 3127 LT	M 3127 HT
Impeller Type:	Grinder	Grinder
Installation Types:	P, F	P, F
kW:	7.4kW	7.4-10.9kW
Discharge:	50mm	50mm
Weight (Approx.):	109kg	109kg
Voltage/Phase:	400/3	400/3
Rated Current (A)	14	14-21
Height (Approx.):	560mm	560mm
Width (Approx.):	565mm	565mm

Part	Material	Material
Major Castings:	Cast Iron	Cast Iron
Impeller:	Cast Iron	Cast Iron
Pump Housing:	Cast Iron	Cast Iron
Volute:	Cast Iron	Cast Iron
Shaft:	Stainless Steel	Stainless Steel







APPLICATIONS

Wastewater Pumping | Cooling Water | Process Water | Sludge Handling Industrial Effluent | Storm Water | Raw Water | Pumping Stations




D 3127 (Vortex Impeller):




Product:	D 3127 MT	D 3127 HT
Impeller Type:	Vortex	Vortex
Installation Types:	Р	Р
kW:	4.7-5.9kW	7.4kW
Discharge:	100mm	80mm
Weight (Approx.):	125kg	140kg
Voltage/Phase:	400/3	400/3
Rated Current (A)	10.0-13.0	14
Height (Approx.):	716mm	660mm
Width (Approx.):	679mm	645mm

Part	Material	Material
Major Castings:	Cast Iron	Cast Iron
Impeller:	Cast Iron	Cast Iron
Pump Housing:	Cast Iron	Cast Iron
Volute:	Cast Iron	Cast Iron
Shaft:	Stainless Steel	Stainless Steel







APPLICATIONS

Wastewater Pumping | Cooling Water | Process Water | Sludge Handling Industrial Effluent | Storm Water | Raw Water | Pumping Stations

Founded in 1982, Pump Supplies is a leading supplier of Electric submersible pumps into the UK and Irish market. Operating out of 5 strategically located depots our business specialises in all aspects of submersible pumps, from hire & sales to servicing and pump station installations.



HEAD OFFICE: CENTRAL DISTRIBUTION WAREHOUSE:

Llewellyn's Quay

The Docks

Port Talbot

SA13 1RF

Unit 1, The Old Airfield

Moreton Valence

Gloucester

GL2 7NG

Tel: 01639 895815 Tel: 01452 726999