

Visit us online: www.pumpsupplies.co.uk

Flygt 3171

Electric Submersible Pump

- Cast Iron submersible pump available with a N (adaptive or standard), channel, vortex, chopper, or grinder impeller
- Available in guide rail, free standing or dry well configurations
- Highly efficient pump performance

T: 01452 726999 F: 01452 721746 E: sales@pumpsupplies.co.uk

www.pumpsupplies.co.uk






N 3171 LT & MT (Self Cleaning Impeller):



Product:	N 3171 LT	N 3171 MT	
Impeller Type:	Self Cleaning	Self Cleaning	
Installation Types:	P, S, T, Z	P, S, T, Z	
kW:	15kW	15-22kW	
Discharge:	250mm	150mm	
Weight (Approx.):	410kg	300kg	
Voltage/Phase:	400/3	400/3	
Rated Current (A)	30	29.0-41.0	
Height (Approx.):	1127mm	1025mm	
Width (Approx.):	1087mm	834mm	
Part	Material	Material	
Major Castings:	Cast Iron	Cast Iron	
Impeller:	Cast Iron	Cast Iron	
Pump Housing:	Cast Iron	Cast Iron	
Volute:	Cast Iron	Cast Iron	
Shaft:	Stainless Steel	Stainless Steel	





Technical Information is for guidance only, please contact us for precise information prior to order





N 3171 HT & SH (Self Cleaning Impeller):



Product:	N 3171 HT	N 3171 SH
Impeller Type:	Self Cleaning	Self Cleaning
Installation Types:	P, S, T, Z	P, S, T, Z
kW:	15-22kW	22kW
Discharge:	100mm	100mm
Weight (Approx.):	272kg	346kg
Voltage/Phase:	400/3	400/3
Rated Current (A)	29.0-41.0	38
Height (Approx.):	993mm	995mm
Width (Approx.):	845mm	820mm
Part	Material64	Material65
Major Castings:	Cast Iron	Cast Iron
Impeller:	Cast Iron	Cast Iron
Pump Housing:	Cast Iron	Cast Iron
Volute:	Cast Iron	Cast Iron
Shaft:	Stainless Steel	Stainless Steel







APPLICATIONS

Wastewater Pumping | Cooling Water | Process Water | Sludge Handling Industrial Effluent | Storm Water | Raw Water | Pumping Stations

sales@pumpsupplies.co.uk

01452 726999

1

www.pumpsupplies.co.uk

Technical Information is for guidance only, please contact us for precise information prior to order




F 3171 MT & HT (Chopper Impeller):

Product:	F 3171 MT	F 3171 HT	
Product:	F 31/1 IVI I	F 31/1 HI	
Impeller Type:	Chopper Chopper		
Installation Types:	P, S, T, Z	P, S, T, Z	
kW:	15-22kW 15-22kW		
Discharge:	100/150mm 100mm		
Weight (Approx.):	300kg	272kg	
Voltage/Phase:	400/3	400/3	
Rated Current (A)	29.0-41.0	29.0-41.0	
Height (Approx.):	1025mm	993mm	
Width (Approx.):	834mm 845mm		
Part	Material	Material	
Major Castings:	Cast Iron	Cast Iron	
Impeller:	Cast Iron	Cast Iron	
Pump Housing:	Cast Iron Cast Iron		
Volute:	Cast Iron	Cast Iron	
Shaft:	Stainless Steel	Stainless Steel	










F 3171 SH (Chopper Impeller):



Product:	F 3171 SH	
Impeller Type:	Chopper	
Installation Types:	P, S, T, Z	
kW:	22kW	
Discharge:	100mm	
Weight (Approx.):	346kg	
Voltage/Phase:	400/3	
Rated Current (A)	38	
Height (Approx.):	995mm	
Width (Approx.):	820mm	
Part	Material	
Major Castings:	Cast Iron	
Impeller:	Cast Iron	
Pump Housing:	Cast Iron	
Volute:	Cast Iron	
Shaft:	Stainless Steel	







APPLICATIONS

Wastewater Pumping | Cooling Water | Process Water | Sludge Handling Industrial Effluent | Storm Water | Raw Water | Pumping Stations

sales@pumpsupplies.co.uk

01452 726999

www.pumpsupplies.co.uk

Technical Information is for guidance only, please contact us for precise information prior to order

Founded in 1982, Pump Supplies is a leading supplier of Electric submersible pumps into the UK and Irish market. Operating out of 5 strategically located depots our business specialises in all aspects of submersible pumps, from hire & sales to servicing and pump station installations.



HEAD OFFICE:

Llewellyn's Quay The Docks Port Talbot SA13 1RF

Tel: 01639 895815

CENTRAL DISTRIBUTION WAREHOUSE:

Unit 1, The Old Airfield Moreton Valence Gloucester GL2 7NG

Tel: 01452 726999